ELSEVIER

Hearing Research 150 (2000) 267–268

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 150

Barsz, K., Wilson, W.W. and Walton, J.P.
Background noise differentially effects temporal coding by tonic units in the mouse inferior colliculus (150) 149
Benson, R.R., see Talavage, T.M. (150) 225
Burgess, B.J., see Thiers, F.A. (150) 119

Chen, Q.C. and Jen, P.H.-S.
Bicuculline application affects discharge patterns, rate–intensity functions, and frequency tuning characteristics of bat auditory cortical neurons (150) 161

Dechesne, C.J., see Sage, C. (150) 70
Ding, D., see Hofstetter, P. (150) 132
Ding, D., see Sun, W. (150) 137
Dolgobrodov, S.G., Lukashkin, A.N. and Russell, I.J.
Electrostatic interaction between stereocilia: I. Its role in supporting the structure of the hair bundle (150) 83
Dolgobrodov, S.G., Lukashkin, A.N. and Russell, I.J.
Electrostatic interaction between stereocilia: II. Influence on the mechanical properties of the hair bundle (150) 94

Eggermont, J.J., see Gehr, D.D. (150) 27

Farms, W.B., see Godfrey, D.A. (150) 189
Fechter, L.D., see Rao, D.B. (150) 206
Fillit, P., see Marianowski, R. (150) 1
Flock, Å. and Flock, B.
Hydrops in the cochlea can be induced by sound as well as by static pressure (150) 175
Flock, B., see Flock, Å. (150) 175
Frachet, B., see Marianowski, R. (150) 1
Frachet, B., see Liao, W.-H. (150) 12

Gehr, D.D., Komiya, H. and Eggermont, J.J.
Neuronal responses in cat primary auditory cortex to natural and altered species-specific calls (150) 27
Godfrey, D.A., Farms, W.B., Godfrey, T.G., Mikesell, N.L. and Liu, J.
Amino acid concentrations in rat cochlear nucleus and superior olive (150) 189
Godfrey, T.G., see Godfrey, D.A. (150) 189

Hamernik, R.P. and Qiu, W.
Correlations among evoked potential thresholds, distortion product otoacoustic emissions and hair cell loss following various noise exposures in the chinchilla (150) 245
Herman, P., see Marianowski, R. (150) 1
Herman, P., see Liao, W.-H. (150) 12
Hofstetter, P., Ding, D. and Salvi, R.
Induction of spontaneous otoacoustic emissions in chinchillas from carboplatin-induced inner hair cell loss (150) 132
Huy, P.T.B., see Marianowski, R. (150) 1
Huy, P.T.B., see Liao, W.-H. (150) 12

Jen, P.H.-S., see Chen, Q.C. (150) 161
Jeromin, A., see Sage, C. (150) 70

Komiya, H., see Gehr, D.D. (150) 27

Lecain, E., see Liao, W.-H. (150) 12
Ledden, P.J., see Talavage, T.M. (150) 225
Liao, W.-H., see Marianowski, R. (150) 1
Liao, W.-H., Van Den Abbeele, T., Herman, P., Frachet, B., Huy, P.T.B., Lecain, E. and Marianowski, R.
Expression of NMDA, AMPA and $GABA_A$ receptor subunit mRNAs in the rat auditory brainstem. II. Influence of intracochlear electrical stimulation (150) 12
Liu, J., see Godfrey, D.A. (150) 189
Lukashkin, A.N., see Dolgobrodov, S.G. (150) 83
Lukashkin, A.N., see Dolgobrodov, S.G. (150) 94

Marianowski, R., see Liao, W.-H. (150) 12
Marianowski, R., Liao, W.-H., Van Den Abbeele, T., Fillit, P., Herman, P., Frachet, B. and Huy, P.T.B.
Expression of NMDA, AMPA and $GABA_A$ receptor subunit mRNAs in the rat auditory brainstem. I. Influence of early auditory deprivation (150) 1
Melcher, J.R., see Talavage, T.M. (150) 225
Merchant, S.N., see Voss, S.E. (150) 43
Merchant, S.N., see Ravicz, M.E. (150) 215
Mikesell, N.L., see Godfrey, D.A. (150) 189

Nadol Jr., J.B., see Thiers, F.A. (150) 119

Oxenham, A.J. and Plack, C.J.
Effects of masker frequency and duration in forward masking: further evidence for the influence of peripheral nonlinearity (150) 258

Peake, W.T., see Voss, S.E. (150) 43
Plack, C.J., see Oxenham, A.J. (150) 258

Qiu, W., see Hamernik, R.P. (150) 245

Rao, D.B. and Fechter, L.D.
Increased noise severity limits potentiation of noise induced hearing loss by carbon monoxide (150) 206
Ravicz, M.E., Merchant, S.N. and Rosowski, J.J.
Effect of freezing and thawing on stapes-cochlear input impedance in human temporal bones (150) 215
Recanzone, G.H.
Response profiles of auditory cortical neurons to tones and noise in behaving macaque monkeys (150) 104
Reyes, S., see Sun, W. (150) 137
Roder, J., see Sage, C. (150) 70
Rosen, B.R., see Talavage, T.M. (150) 225
Rosowski, J.J., see Voss, S.E. (150) 43
Rosowski, J.J., see Ravicz, M.E. (150) 215
Russell, I.J., see Dolgobrodov, S.G. (150) 83
Russell, I.J., see Dolgobrodov, S.G. (150) 94

PII: S0378-5955(00)00230-6

Sage, C., Ventéo, S., Jeromin, A., Roder, J. and Dechesne, C.J.
Distribution of frequenin in the mouse inner ear during development, comparison with other calcium-binding proteins and synaptophysin (150) 70
Salvi, R., see Hofstetter, P. (150) 132
Salvi, R.J., see Sun, W. (150) 137
Sun, W., Ding, D., Reyes, S. and Salvi, R.J.
Effects of AC and DC stimulation on chinchilla SOAE amplitude and frequency (150) 137

Talavage, T.M., Ledden, P.J., Benson, R.R., Rosen, B.R. and Melcher, J.R.
Frequency-dependent responses exhibited by multiple regions in human auditory cortex (150) 225

Thiers, F.A., Burgess, B.J. and Nadol Jr., J.B.
Prevalence and ultrastructural morphology of axosomatic synapses on spiral ganglion cells in humans of different ages (150) 119

Van Den Abbeele, T., see Marianowski, R. (150) 1
Van Den Abbeele, T., see Liao, W.-H. (150) 12
Ventéo, S., see Sage, C. (150) 70
Voss, S.E., Rosowski, J.J., Merchant, S.N. and Peake, W.T.
Acoustic responses of the human middle ear (150) 43

Walton, J.P., see Barsz, K. (150) 149
Wilson, W.W., see Barsz, K. (150) 149

ELSEVIER

Hearing Research 150 (2000) 269–272

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 150

α-Amino-3-hydroxy-5-methyl-4-isoxazole

N-Methyl-D-aspartate; γ-Aminobutyric acid type A; Auditory deprivation; Synaptic plasticity; Cochlear nucleus; Inferior colliculus (Marianowski, R. (150) 1)

N-Methyl-D-aspartate; γ-Aminobutyric acid type A; Synaptic plasticity; Cochlear nucleus; Cochlear implant; Inferior colliculus (Liao, W.-H. (150) 12)

γ-Aminobutyrate

Aspartate; Glutamate; Glycine; High performance liquid chromatography; Auditory (Godfrey, D.A. (150) 189)

γ-Aminobutyric acid type A

N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; Auditory deprivation; Synaptic plasticity; Cochlear nucleus; Inferior colliculus (Marianowski, R. (150) 1)

N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; Synaptic plasticity; Cochlear nucleus; Cochlear implant; Inferior colliculus (Liao, W.-H. (150) 12)

Aspartate

Glutamate; Glycine; γ-Aminobutyrate; High performance liquid chromatography; Auditory (Godfrey, D.A. (150) 189)

Asymptotic threshold shift

Distortion product emission; Interrupted noise exposure; Sensory cell loss (Hamernik, R.P. (150) 245)

Auditory

Aspartate; Glutamate; Glycine; γ-Aminobutyrate; High performance liquid chromatography (Godfrey, D.A. (150) 189)

Auditory cortex

Macaque monkey; Physiology; Primary auditory cortex; Caudomedial field (Recanzone, G.H. (150) 104)

Bat; Bicuculline; Intensity function; Frequency tuning curve (Chen, Q.C. (150) 161)

Functional magnetic resonance imaging; Tonotopy; Human (Talavage, T.M. (150) 225)

Auditory deprivation

N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Synaptic plasticity; Cochlear nucleus; Inferior colliculus (Marianowski, R. (150) 1)

Background noise

Inferior collicus; CBA mouse; Temporal processing; Tonic unit (Barsz, K. (150) 149)

Bat

Auditory cortex; Bicuculline; Intensity function; Frequency tuning curve (Chen, Q.C. (150) 161)

Bicuculline

Auditory cortex; Bat; Intensity function; Frequency tuning curve (Chen, Q.C. (150) 161)

Calbindin

Vestibule; Cochlea; Calretinin; Immunocytochemistry (Sage, C. (150) 70)

Calretinin

Vestibule; Cochlea; Calbindin; Immunocytochemistry (Sage, C. (150) 70)

Carbon monoxide

Noise; Hearing loss; Compound action potential; Rat; Equal energy (Rao, D.B. (150) 206)

Carboplatin

Spontaneous otoacoustic emission; Chinchilla; Hair cell (Hofstetter, P. (150) 132)

Cat

Communication sound; Primary auditory cortex; Multi-unit recording; Neural synchrony (Gehr, D.D. (150) 27)

Caudomedial field

Macaque monkey; Auditory cortex; Physiology; Primary auditory cortex (Recanzone, G.H. (150) 104)

CBA mouse

Inferior collicus; Temporal processing; Background noise; Tonic unit (Barsz, K. (150) 149)

Chinchilla

Spontaneous otoacoustic emission; Hair cell; Carboplatin (Hofstetter, P. (150) 132)

Spontaneous otoacoustic emission; Electrical stimulation; Distortion product otoacoustic emission; Inner hair cell; Outer hair cell (Sun, W. (150) 137)

Cochlea

Vestibule; Calretinin; Calbindin; Immunocytochemistry (Sage, C. (150) 70)

PII: S0378-5955(00)00231-8

Cochlear impedance
Stapes impedance; Middle-ear mechanics; Freezing and thawing; Temporal bone; Human (Ravicz, M.E. (150) 215)

Cochlear implant
N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Synaptic plasticity; Cochlear nucleus; Inferior colliculus (Liao, W.-H. (150) 12)

Cochlear nonlinearity
Forward masking; Temporal processing (Oxenham, A.J. (150) 258)

Glycocalyx; Hair cell; Electrostatic interaction (Dolgobrodov, S.G. (150) 83)

Glycocalyx; Hair cell; Electrostatic interaction (Dolgobrodov, S.G. (150) 94)

Cochlear nucleus
N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Auditory deprivation; Synaptic plasticity; Inferior colliculus (Marianowski, R. (150) 1)

N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Synaptic plasticity; Cochlear implant; Inferior colliculus (Liao, W.-H. (150) 12)

Communication sound
Cat; Primary auditory cortex; Multi-unit recording; Neural synchrony (Gehr, D.D. (150) 27)

Compound action potential
Noise; Carbon monoxide; Hearing loss; Rat; Equal energy (Rao, D.B. (150) 206)

Degeneration
Spiral ganglion; Synapse; Efferent; Maturation (Thiers, F.A. (150) 119)

Distortion product emission
Asymptotic threshold shift; Interrupted noise exposure; Sensory cell loss (Hamernik, R.P. (150) 245)

Distortion product otoacoustic emission
Spontaneous otoacoustic emission; Electrical stimulation; Chinchilla; Inner hair cell; Outer hair cell (Sun, W. (150) 137)

Efferent
Spiral ganglion; Synapse; Maturation; Degeneration (Thiers, F.A. (150) 119)

Electrical stimulation
Spontaneous otoacoustic emission; Chinchilla; Distortion product otoacoustic emission; Inner hair cell; Outer hair cell (Sun, W. (150) 137)

Electrostatic interaction
Cochlear non-linearity; Glycocalyx; Hair cell (Dolgobrodov, S.G. (150) 83)

Cochlear non-linearity; Glycocalyx; Hair cell (Dolgobrodov, S.G. (150) 94)

Equal energy
Noise; Carbon monoxide; Hearing loss; Compound action potential; Rat (Rao, D.B. (150) 206)

Forward masking
Cochlear nonlinearity; Temporal processing (Oxenham, A.J. (150) 258)

Freezing and thawing
Cochlear impedance; Stapes impedance; Middle-ear mechanics; Temporal bone; Human (Ravicz, M.E. (150) 215)

Frequency tuning curve
Auditory cortex; Bat; Bicuculline; Intensity function (Chen, Q.C. (150) 161)

Functional magnetic resonance imaging
Auditory cortex; Tonotopy; Human (Talavage, T.M. (150) 225)

Glutamate
Aspartate; Glycine; γ-Aminobutyrate; High performance liquid chromatography; Auditory (Godfrey, D.A. (150) 189)

Glycine
Aspartate; Glutamate; γ-Aminobutyrate; High performance liquid chromatography; Auditory (Godfrey, D.A. (150) 189)

Glycocalyx
Cochlear non-linearity; Hair cell; Electrostatic interaction (Dolgobrodov, S.G. (150) 83)

Cochlear non-linearity; Hair cell; Electrostatic interaction (Dolgobrodov, S.G. (150) 94)

Hair cell
Spontaneous otoacoustic emission; Chinchilla; Carboplatin (Hofstetter, P. (150) 132)

Cochlear non-linearity; Glycocalyx; Electrostatic interaction (Dolgobrodov, S.G. (150) 83)

Cochlear non-linearity; Glycocalyx; Electrostatic interaction (Dolgobrodov, S.G. (150) 94)

Hearing loss
Hydrops; Reissners's membrane; Noise trauma; Ménière's disease (Flock, Å. (150) 175)

Noise; Carbon monoxide; Compound action potential; Rat; Equal energy (Rao, D.B. (150) 206)

High performance liquid chromatography
Aspartate; Glutamate; Glycine; γ-Aminobutyrate; Auditory (Godfrey, D.A. (150) 189)

Human
Cochlear impedance; Stapes impedance; Middle-ear mechanics; Freezing and thawing; Temporal bone (Ravicz, M.E. (150) 215)

Auditory cortex; Functional magnetic resonance imaging; Tonotopy (Talavage, T.M. (150) 225)

Hydrops
Hearing loss; Reissners's membrane; Noise trauma; Ménière's disease (Flock, Å. (150) 175)

Immunocytochemistry
Vestibule; Cochlea; Calretinin; Calbindin (Sage, C. (150) 70)

Inferior colliculus
N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Ami-

nobutyric acid type A; Auditory deprivation; Synaptic plasticity; Cochlear nucleus (Marianowski, R. (150) 1)

N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Synaptic plasticity; Cochlear nucleus; Cochlear implant (Liao, W.-H. (150) 12)

Inferior collicus
CBA mouse; Temporal processing; Background noise; Tonic unit (Barsz, K. (150) 149)

Inner hair cell
Spontaneous otoacoustic emission; Electrical stimulation; Chinchilla; Distortion product otoacoustic emission; Outer hair cell (Sun, W. (150) 137)

Intensity function
Auditory cortex; Bat; Bicuculline; Frequency tuning curve (Chen, Q.C. (150) 161)

Interrupted noise exposure
Distortion product emission; Asymptotic threshold shift; Sensory cell loss (Hamernik, R.P. (150) 245)

Macaque monkey
Auditory cortex; Physiology; Primary auditory cortex; Caudomedial field (Recanzone, G.H. (150) 104)

Maturation
Spiral ganglion; Synapse; Efferent; Degeneration (Thiers, F.A. (150) 119)

Ménière's disease
Hydrops; Hearing loss; Reissners's membrane; Noise trauma (Flock, Å. (150) 175)

Middle-ear mechanics
Cochlear impedance; Stapes impedance; Freezing and thawing; Temporal bone; Human (Ravicz, M.E. (150) 215)

Middle-ear model
Middle-ear mechanics; Temporal-bone measurements (Voss, S.E. (150) 43)

Multi-unit recording
Cat; Communication sound; Primary auditory cortex; Neural synchrony (Gehr, D.D. (150) 27)

Neural synchrony
Cat; Communication sound; Primary auditory cortex; Multi-unit recording (Gehr, D.D. (150) 27)

N-Methyl-D-aspartate
α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Auditory deprivation; Synaptic plasticity; Cochlear nucleus; Inferior colliculus (Marianowski, R. (150) 1)

α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Synaptic plasticity; Cochlear nucleus; Cochlear implant; Inferior colliculus (Liao, W.-H. (150) 12)

Noise
Carbon monoxide; Hearing loss; Compound action potential; Rat; Equal energy (Rao, D.B. (150) 206)

Noise trauma
Hydrops; Hearing loss; Reissners's membrane; Ménière's disease (Flock, Å. (150) 175)

Outer hair cell
Spontaneous otoacoustic emission; Electrical stimulation; Chinchilla; Distortion product otoacoustic emission; Inner hair cell (Sun, W. (150) 137)

Physiology
Macaque monkey; Auditory cortex; Primary auditory cortex; Caudomedial field (Recanzone, G.H. (150) 104)

Primary auditory cortex
Macaque monkey; Auditory cortex; Physiology; Caudomedial field (Recanzone, G.H. (150) 104)

Cat; Communication sound; Multi-unit recording; Neural synchrony (Gehr, D.D. (150) 27)

Rat
Noise; Carbon monoxide; Hearing loss; Compound action potential; Equal energy (Rao, D.B. (150) 206)

Reissners's membrane
Hydrops; Hearing loss; Noise trauma; Ménière's disease (Flock, Å. (150) 175)

Sensory cell loss
Distortion product emission; Asymptotic threshold shift; Interrupted noise exposure (Hamernik, R.P. (150) 245)

Spiral ganglion
Synapse; Efferent; Maturation; Degeneration (Thiers, F.A. (150) 119)

Spontaneous otoacoustic emission
Chinchilla; Hair cell; Carboplatin (Hofstetter, P. (150) 132)

Electrical stimulation; Chinchilla; Distortion product otoacoustic emission; Inner hair cell; Outer hair cell (Sun, W. (150) 137)

Stapes impedance
Cochlear impedance; Middle-ear mechanics; Freezing and thawing; Temporal bone; Human (Ravicz, M.E. (150) 215)

Synapse
Spiral ganglion; Efferent; Maturation; Degeneration (Thiers, F.A. (150) 119)

Synaptic plasticity
N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Auditory deprivation; Cochlear nucleus; Inferior colliculus (Marianowski, R. (150) 1)

N-Methyl-D-aspartate; α-Amino-3-hydroxy-5-methyl-4-isoxazole; γ-Aminobutyric acid type A; Cochlear nucleus; Cochlear implant; Inferior colliculus (Liao, W.-H. (150) 12)

Temporal bone
Cochlear impedance; Stapes impedance; Middle-ear mechanics; Freezing and thawing; Human (Ravicz, M.E. (150) 215)

Temporal-bone measurements
Middle-ear mechanics; Middle-ear model (Voss, S.E. (150) 43)

Temporal processing
Inferior collicus; CBA mouse; Background noise; Tonic unit (Barsz, K. (150) 149)

Forward masking; Cochlear nonlinearity (Oxenham, A.J. (150) 258)

Tonic unit
Inferior collicus; CBA mouse; Temporal processing; Background noise (Barsz, K. (150) 149)

Tonotopy
Auditory cortex; Functional magnetic resonance imaging; Human (Talavage, T.M. (150) 225)

Vestibule
Cochlea; Calretinin; Calbindin; Immunocytochemistry (Sage, C. (150) 70)